

# **Safety Data Sheet**

Copyright, 2017, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 11-7028-1
 Version number:
 4.00

 Issue Date:
 18/01/2018
 Supersedes date:
 31/01/2016

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

# **SECTION 1: Identification**

#### 1.1. Product identifier

3M BRAND 504 RESPIRATOR CLEANING WIPE

#### **Product Identification Numbers**

70-0703-1713-9 AT-0105-8741-1

#### 1.2. Recommended use and restrictions on use

## Recommended use

Cleaning respirators.

For Industrial or Consumer Use.

### 1.3. Supplier's details

Address: 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113

**Telephone:** 136 136

**E Mail:** productinfo.au@mmm.com

Website: www.3m.com.au

#### 1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

# **SECTION 2: Hazard identification**

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Skin Corrosion/Irritation: Category 2.

#### 2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product label.

### Signal word

Not applicable.

#### **Symbols**

Exclamation mark |

## **Pictograms**



#### **Hazard statements**

H315 Causes skin irritation.

### **Precautionary statements**

**Prevention:** 

P280E Wear protective gloves.

P264 Wash thoroughly after handling.

**Response:** 

P302 + P352

P332 + P313

If ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

P321

Specific treatment (see Notes to Physician on this label).

# 2.3. Other assigned/identified product hazards

None known.

#### 2.4. Other hazards which do not result in classification

Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

# **SECTION 3: Composition/information on ingredients**

This material is a mixture.

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	50 - 70
Cellulose towelette	Unknown	30 - 50
Surfactants	68439-46-3	0.1 - 1

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

#### **Substance**

Carbon monoxide. Carbon dioxide.

#### **Condition**

During combustion. During combustion.

# 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

**Hazchem Code: 2Z** 

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

# 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

For industrial or professional use only. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Avoid release to the environment.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

No engineering controls required.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Select and use eye protection in accordance with AS/NZS 1336. Eye protection should comply with the performance specifications of AS/NZS 1337.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

Select and use gloves according to AS/NZ 2161.

# Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer. Select and use respirators according to AS/NZS 1715. Respirators should comply with AS/NZS 1716 performance specifications. For information about respirators, call 3M on 1800 024 464.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Solid. moist

Specific Physical Form: Non-Woven Material

Appearance/Odour Towelette impregnated with clear liquid, no odour

**Odour threshold** *No data available.* 

9H 5.75 - 6.75 [Details: CONDITIONS: Excluding towelette]

**Melting point/Freezing point**Not applicable.

Boiling point/Initial boiling point/Boiling range Approximately 100 °C [Details: CONDITIONS: Excluding

towelette]

Flash point No flash point

**Evaporation rate** 0.33 [Ref Std:BUOAC=1] [Details: Excluding Towelette]

Flammability (solid, gas)Not classifiedFlammable Limits(LEL)Not applicable.Flammable Limits(UEL)Not applicable.

Vapour pressure Approximately 2,338.5 Pa [@ 20 °C] [Details: Excluding

Towelette]

Vapour density No data available.

Density1 g/ml [Details: Excluding Towelette]Relative densityApproximately 1 [Ref Std: WATER=1][Details: CONDITIONS: Excluding towelette]

Water solubility Complete

Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Autoignition temperatureNo data available.Decomposition temperatureNo data available.ViscosityNo data available.Molecular weightNo data available.Volatile organic compounds (VOC)No data available.

Percent volatile Approximately 100 % [Details: CONDITIONS: Excluding

towelette]

**VOC less H2O & exempt solvents** *No data available.* 

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

#### 10.2 Chemical stability

Stable.

## 10.3. Conditions to avoid

None known.

#### 10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

# 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

**Substance** Condition

None known.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

# Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

#### Eve contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### **Ingestion**

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000
			mg/kg
Surfactants	Dermal	Rabbit	LD50 > 2,000  mg/kg
Surfactants	Ingestion	Rat	LD50 1,378 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Surfactants	Rabbit	Irritant

# **Serious Eye Damage/Irritation**

Name	Species	Value
Surfactants	Professional judgement	Corrosive

### **Skin Sensitisation**

Name	Species	Value
Surfactants	Guinea pig	Not classified

#### **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Surfactants	In Vitro	Not mutagenic

# Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

### **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	<b>Exposure Duration</b>
Surfactants	Dermal	Not classified for	Rat	NOAEL 250	2 generation
		female reproduction		mg/kg/day	
Surfactants	Dermal	Not classified for	Rat	NOAEL 250	2 generation
		development		mg/kg/day	
Surfactants	Dermal	Not classified for	Rat	NOAEL 100	2 generation
		male reproduction		mg/kg/day	

### Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target	Value	Species	Test result	Exposure
		Organ(s)				Duration
Surfactants	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Not available	NOAEL Not available	not available

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Surfactants	Dermal	kidney and/or bladder   hematopoietic system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### **Exposure Levels**

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

#### **Interactive Effects**

Not determined.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

#### Acute aquatic hazard:

GHS Acute 1: Very toxic to aquatic life.

#### Chronic aquatic hazard:

GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Surfactants	68439-46-3	Green algae	Experimental	72 hours	EC50	45 mg/l
Surfactants	68439-46-3	Water flea	Experimental	48 hours	EC50	2.686 mg/l
Surfactants	68439-46-3	Fathead	Experimental	96 hours	LC50	8.5 mg/l
		minnow				
Surfactants	68439-46-3	Green Algae	Experimental	72 hours	NOEC	1.2 mg/l
Surfactants	68439-46-3	Fathead	Experimental	30 days	NOEC	0.73 mg/l
		minnow				

### 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Surfactants	68439-46-3	Experimental	28 days	BOD	88 % weight	OECD 301F -
		Biodegradation				Manometric
						respirometry

#### 12.3: Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Surfactants	68439-46-3	Estimated		Bioaccumulatio	31	Estimated:
		Bioconcentrati		n factor		Bioconcentration factor
		on				

#### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5 Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes.

# **SECTION 14: Transport Information**

Australian Dangerous Goods Code (ADG) - Road/Rail Transport

**UN No.:** UN3077

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Benzyl-C12-16-

Alkyldimethyl Ammonium Chlorides )

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

**Special Instructions:** Australian Dangerous Goods Code: Not subject to this code as per Special Provision AU01

**Hazchem Code: 2Z** 

**IERG: 47** 

### International Air Transport Association (IATA) - Air Transport

**UN No.: UN3077** 

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Benzyl-C12-16-

Alkyldimethyl Ammonium Chlorides )

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

**Special Instructions:** Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

#### International Maritime Dangerous Goods Code (IMDG)- Marine Transport

**UN No.: UN3077** 

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Benzyl-C12-16-

Alkyldimethyl Ammonium Chlorides )

Class/Division: 9

**Sub Risk:** Not applicable. **Packing Group:** III

Marine Pollutant: Benzyl-C12-16-Alkyldimethyl Ammonium Chlorides

**Special Instructions:** Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Australian Inventory Status:**

The chemical components contained within this product are listed on the Australian Inventory of Chemical Substances and are in compliance with the requirements of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

Poison Schedule: This product is not a scheduled poison according to the criteria of the Standard for the Uniform Scheduling of Medicines and Poisons.

# **SECTION 16: Other information**

#### **Revision information:**

Update to Section 14, Transport information.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

#### 3M Australia SDSs are available at www.3m.com.au