BL30

B-LINE is a range of safety eyewear **adapted** to the most common industrial risks. **B-LINE** benefits from Bollé Safety's expertise and quality.

BL30 offers an excellent quality/price ratio. With its ultra **wrap-around fit**, this model meets the requirements for many work environments. Equipped with an **anti-scratch and anti-fog coating** on both sides of the lens, BL30 ensures absolute long-lasting comfort.







PSSBL30-014



PSSBL30-408



TE A







PSSBL30-048*

PSSBL30-047*

PSSBL30-016*

PSSBL30-013*

PSSBL30-010*

24 g

*5 CHOICES OF TEMPLE COLOUR

On demand from 4800 pieces // Non-stocked items

- **+** UPPER PROTECTION
- + ANTI-FOG & ANTI-SCRATCH COATING ON BOTH SIDES OF THE LENS
- **+** LIGHTWEIGHT FRAME
- + STOP-IN SYSTEM (ON THE HINGE OF THE TEMPLES)
- **+** UNIVERSAL FIT
- + POLYCARBONATE HINGE (NO SCREWS)



BL30

MODEL		VERSIONS	TEMPLES COLOURS	REFERENCES	LEN:	S MARKINGS	i	FR/	AME MARKII	NGS	COA- TINGS
					EN166	ANSI	AS.NZS	EN166	ANSI	AS.NZS	
BL30	STOCK LINE	Smoke	Smoke	PSSBL30-408	5-2,5 ☆ 1FT C€	≅Z87+U6L2.5	□ 12	□EN166 FTC€	≌Z87+	AS/NZS 1337.1:2010	ASAF
		Clear	Clear	PSSBL30-014		₩ Z87+U6	₩10	₩EN166 FT C€	☆ Z87+	AS/NZS 1337.1:2010	ASAF
	ON DEMAND				2C-1.2℃1FT (€						
		Clear	Orange	PSSBL30-047							
		Clear	Yellow	PSSBL30-016							
		Clear	Grey	PSSBL30-013							
		Clear	Blue	PSSBL30-010							
		Clear	White	PSSBL30-048							

LENS MARKINGS

Optical class symbols:

1. Continuous work

Mechanical strength symbols:

- F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s Maximum protection for glasses.
- T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.
- I. The letter «I» signifies «Medium Impact» approval.
- O. The letter «O» signifies that the product has been approuved for the use both outdoors and indoors.

Others symbols:

- O. Range of luminous transmittance 80-100% (clear)
- 2. Range of luminous transmittance 18-43% (smoke)

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

FRAME MARKINGS

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

Z87+: Impact rated for Plano product - tested and approved to ANSI 781.1-2015

AS/NZS 1337.1:2010: Tested & approuved to AS/NZS 1337.1.2010 for medium impact protection. Resists a 6mm at 45 m/s.

- F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s Maximum protection for glasses.
- T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Others symbols:

Bollé Safety product approval certificates to standards will be sent on request.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.


STORAGE: All products must be stored in a dry and clean environment.











Non-contractual pictures 27/03/2020

FMFA Bollé Safety 34 rue de la Soie 69100 Villeurbanne France

USA Bollé Safety 1896 Rutherford rd Carlsbad, CA 92008 USA

Bollé Safety AU Pty Limited 32-40 Fairchild St Heatherton VIC 3202 Australia

HONG KONG Bollé Safety 818 8/F Ocean Centre Harbour City 5 Canton Rd TST Kln Hong Kong

JAPAN Bolle Brands Japan Limited 4F 2-21-2 Yushima Bunkyo-ku Tokyo 113-0034 Japan



BL30

PACKAGING AND EAN13 CODE							
	PSSBL30-014	PSSBL30-047	PSSBL30-016	PSSBL30-013	PSSBL30-010	PSSBL30-048	PSSBL30-408
Individual plastic bag	3660740009151	3660740009687	3660740009694	3660740009700	3660740009717	3660740009724	3660740009168
20 safety glasses per inner box	3660740109158	3660740109684	3660740109691	3660740109707	3660740109714	3660740109721	3660740109165
240 safety glasses per outer pack	3660740209155	3660740209681	3660740209698	3660740209704	3660740209711	3660740209728	3660740209162

CARACTERISTICS					
LENSES	PC - 2 mm - Curve 9,5				
FRAME	PC				
TEMPLES	PC				
SPARE LENS	No				

NEW

Individual plastic bag



Inner box of 20 pieces



Non-contractual pictures

27/03/2020

EMEA Bollé Safety 34 rue de la Soie 69100 Villeurbanne France

U.S.A Bollé Safety 1896 Rutherford rd Carlsbad, CA 92008 USA APAC Bollé Safety AU Pty Limited 32-40 Fairchild St Heatherton VIC 3202 Australia HONG KONG Bollé Safety 818 8/F Ocean Centre Harbour City 5 Canton Rd TST Kln Hong Kong JAPAN Bolle Brands Japan Limited 4F 2-21-2 Yushima Bunkyo-ku Tokyo 113-0034 Japan

