



Safety Data Sheet

Copyright, 2022, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 43-7011-0 **Version number:** 1.01
Issue Date: 29/09/2022 **Supersedes date:** 28/09/2022

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

SECTION 1: Identification

1.1. Product identifier

Compressed Breathing Air - Aluminum/Carbon Fiber Wrap Cylinder - 300 bar

Product Identification Numbers

| | | | | |
|----------------|----------------|----------------|----------------|----------------|
| AR-0194-9576-1 | AT-0106-4577-1 | AT-0106-4579-7 | AT-0106-5555-6 | AT-0106-6021-8 |
| AT-0106-6046-5 | AT-0106-6102-6 | AT-0106-9996-8 | AT-0107-0010-5 | AT-0107-0011-3 |
| AT-0107-0012-1 | AT-0107-0067-5 | AT-0107-0071-7 | AT-0107-8823-3 | |

1.2. Recommended use and restrictions on use

Recommended use

Breathing Air Cylinder for SCBA

For Industrial or Professional use only.

1.3. Supplier's details

Address: 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113
Telephone: 136 136
E Mail: productinfo.au@mmm.com
Website: www.3m.com.au

1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

SECTION 2: Hazard identification

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

Gas Under Pressure: Compressed gas.

2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for

Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product label.

Signal word

Warning

Symbols

Gas cylinder |

Pictograms



Hazard statements

H280 Contains gas under pressure; may explode if heated.

Precautionary statements

Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

2.3. Other assigned/identified product hazards

None known.

2.4. Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | CAS Nbr | % by Weight |
|------------|-------------|---------------------|
| AIR | 132259-10-0 | 100 (typically 100) |

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated.

Skin contact

No need for first aid is anticipated.

Eye contact

No need for first aid is anticipated.

If swallowed

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

Hazchem Code: 2T

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2. Environmental precautions

Not applicable.

6.3. Methods and material for containment and cleaning up

Close cylinder.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full face shield.

Indirect vented goggles.

Select and use eye protection in accordance with AS/NZS 1336. Eye protection should comply with the performance specifications of AS/NZS 1337.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | Gas. |
| Specific Physical Form: | Compressed gas. Cylinder under pressure (typically 2000 - 6000 psi) |
| Colour | Colorless |
| Odour | Odourless |
| Odour threshold | <i>No data available.</i> |
| pH | <i>Not applicable.</i> |
| Melting point/Freezing point | <i>Not applicable.</i> |
| Boiling point/Initial boiling point/Boiling range | -194.3 °C |
| Flash point | No flash point |
| Evaporation rate | <i>Not applicable.</i> |
| Flammability (solid, gas) | Not classified |
| Flammable Limits(LEL) | <i>Not applicable.</i> |
| Flammable Limits(UEL) | <i>Not applicable.</i> |
| Vapour pressure | <i>Not applicable.</i> |
| Vapor Density and/or Relative Vapor Density | 1.1 [Ref Std: AIR=1] |
| Density | 1.2 g/l |
| Relative density | <i>No data available.</i> |
| Water solubility | <i>Not applicable.</i> |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Autoignition temperature | <i>Not applicable.</i> |
| Decomposition temperature | <i>Not applicable.</i> |
| Viscosity/Kinematic Viscosity | <i>Not applicable.</i> |
| Volatile organic compounds (VOC) | <i>Not applicable.</i> |
| Percent volatile | 100 % |
| VOC less H2O & exempt solvents | <i>Not applicable.</i> |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3. Conditions to avoid

None known.

10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

None known.

Condition

Not specified.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|-----------------|----------------------|---------|--|
| Overall product | Inhalation-Gas(4 hr) | | No data available; calculated ATE >50,000 ppm |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Serious Eye Damage/Irritation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Skin Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

For the component/components, either no data are currently available or the data are not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Exposure Levels

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

Interactive Effects

Not determined.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

| Material | CAS Number | Organism | Type | Exposure | Test endpoint | Test result |
|----------|-------------|----------|------------|----------|---------------|-------------|
| AIR | 132259-10-0 | | Laboratory | | LC50 | >100 mg/l |
| AIR | 132259-10-0 | | Laboratory | | NOEC | >100 mg/l |

12.2. Persistence and degradability

Compressed Breathing Air - Aluminum/Carbon Fiber Wrap Cylinder - 300 bar

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|----------|-------------|----------------------------------|----------|------------|-------------|----------|
| AIR | 132259-10-0 | Data not available- insufficient | N/A | N/A | N/A | N/A |

12.3 : Bioaccumulative potential

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|----------|-------------|---|----------|------------|-------------|----------|
| AIR | 132259-10-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Product may be released to the atmosphere. Product may be released to the atmosphere. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. The facility should be equipped to handle gaseous waste.

SECTION 14: Transport Information**Australian Dangerous Goods Code (ADG) - Road/Rail Transport**

UN No.: UN1002

Proper shipping name: AIR, COMPRESSED

Class/Division: 2.2

Sub Risk: Not applicable.

Packing Group: Not applicable.

Hazchem Code: 2T

IERG: 10

International Air Transport Association (IATA) - Air Transport

UN No.: UN1002

Proper shipping name: AIR, COMPRESSED

Class/Division: 2.2

Sub Risk: Not applicable.

Packing Group: Not applicable.

Special Instructions: Forbidden due to internal policy

International Maritime Dangerous Goods Code (IMDG)- Marine Transport

UN No.: UN1002

Proper shipping name: AIR, COMPRESSED

Class/Division: 2.2

Sub Risk: Not applicable.

Packing Group: Not applicable.

Marine Pollutant: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory Status:

All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC). Conditions may apply prior to introduction for direct importers of this product, Please contact 3M Australia on 136 136 for further details.

SECTION 16: Other information

Revision information:

Initial issue.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

3M Australia SDSs are available at www.3m.com.au